

JCA

Trip No 30

South Africa

JCA15500 - 15880

12th March – 28th March 1996

This trip was undertaken in the company of Panayoti Kelaidis

12 MARCH, 1996 : WESTERN CAPE

15,500	<i>Aptosimum (procumbens) indivisum</i>	Western Cape, N of Beaufort West (S of Stapvoetkop)
501		
502		
503	<i>Cotyledon orbiculata</i>	Western Cape, NNW of Beaufort West (Molteno Pass)
505	<i>Indigofera nigosa</i>	"
506	<i>Heliphila</i>	"
507	<i>Hermannia coccinea</i>	"
508	<i>Stomatium beaufortense</i>	"
509	<i>Sutera pinnatifolia</i>	"
510	<i>Delosperma</i>	"
511	<i>Dianthus</i>	"
512		"
513	<i>Kriphofia stricta</i> (Leguminosae)	"
514	(<i>Aptosimum</i>) <i>Peliostomum virgatum</i>	"

13 MARCH, 1996 : EASTERN CAPE

15 515	<i>Sutera halimifolia</i>	Eastern Cape, NNW of Graaff-Reinet, Ruiberg (St. Olives)
516	<i>Leonotis</i>	"
517	<i>Indigostrum aegyptium</i>	"
518	<i>Alse broomii</i>	"
519		"
520	<i>Pelargonium abrotanifolium</i>	"
521	<i>Syringodea</i> (Iridaceae)	"
522		"
523	<i>Hermannia</i> (Asclepiadaceae)	"
524		"
525	<i>Dierama grandiflorum</i>	"
526	<i>Kriphofia</i>	"
527		"
528	<i>Androcymbium melanthoides</i>	"
529		"
530	<i>Pelargonium glutinosum</i>	"
531		"
532		"
533		"
534		"
535		"
536		"
537		"
538		"
539		"

1600 m.	In sandy clay on open 'flats'	Deep violet	SH
1550 m.	Ledges & crevices on rock outcrops	Scarlet	PS
"	"	Deeratta-pink	PS
"	"	Crimson	O
"	"	Blue	O
"	"	-	P
"	"	White	P
"	"	-	O PK coll
"	"	-	O PK coll
"	Open, grassy areas & among rocks.	Violet-pink	H
"		Scarlet/yellow	HP
"	Open bank in gravelly clay.	Violet-blue	HP
1500 m.	Loose, gravelly soil on sandstone slopes	Pink	HS
"	"	"	"
"	"	"	"
"	"	Orange	P
1700 m.	Shallow pockets on flat sandstone of summit	White marked purple	SP
"	"	Violet	P
"	"	Not in fl.	S
"	"	Violet-pink	S
"	"	"	"
"	Among rocks around edge of summit plateau	Not in fl.	S
"	"	"	"
"	"	"	"
"	'Wet flush' on sandstone slabs.	White	HS
"	"	"	"
1600 m	Massives on SE-facing rock-slabs	Pink	H

Number	Species	Location	Altitude	Notes	Color	Special Notes
15,540	Bulbine	Swanhook Eastern Cape / NE of Pearson (to Cradock)	1,500 m.	Open 'flats' : sandy clay	Yellow.	S
541			"			
542	Moraea polystachya		"	Among long grass in open site	Pale lilac	P
543						
544	Kriphofia stricta	Eastern Cape, SW of Cradock	1,600 m.	Among grass on steep, rocky slope	Scarlet/yellow	HP
545	Kriphofia acraea	(E of Leankloofberg)	"	"	1 m.; narrow cream/pale lemon	PS (no H)
546		"	"			
547		"	"			
548	Hemnonia	"	1,500 m.	Fissures & ledges on rock outcrops in gravel.	Purple; woody	PS
549	(Zaluzianskya) Plexipus namaquanus	"	"	"	White	PS
550	Hermannia althaeifolia	"	"	"	Cream, prostrate	HP
551	Lotononis	"	"	"	Violet. Narrow culms lvs, 10 cm.	
552						
553						
554						

15 MARCH, 1996 : EASTERN CAPE

15,555	Dierama	Eastern Cape, N of Jarkastad	1,400 m.	Among rocks on steep, grassy slope	In fruit	S
556	Aloe sinuata	(SW of Joorberg) (Glen Lex)	"	"	"	S
557		"	"	"	"	S
558		"				
559		"				
560	Chasmatophyllum	Eastern Cape, N of Jarkastad	1,200 m.	Gravelly soil on ledges & in pockets on sandstone	Yellow, orange-red ext.	S
561		(Glen Lex)	"			
562	Pellaea	"	"	Rock fissures.	-	S
563	Cheilanthes	"	"	"	-	S
564	Cheilanthes	"	"	"	-	S
565		"	"			
566	Dierama	"	"	Among rocks at margins of outcrops	In fruit	S
567		"	"			
568	Gladiolus	"	"	Among grass on rock slabs.	Pale cream.	O
569		"	"			
570	Lotononis	"	"	Ledges on rock outcrop		
571	Aristea	"	"	"	Immature fruit	H.
572						
573						
574						
575	Gladiolus oppositiflorus salmones	Eastern Cape, ENE of Indwe	c. 1000 m.	Steep, rocky slope — among grasses.	Seed all eaten	P
576		(to Elliot)				
577						
578						
579						

Eastern Cape, NE of Rhodes
to Naudesnek

15,580	<i>Sutera</i>
581	<i>Lotononis</i>
582	<i>Diascia</i>
583	
584	<i>Relbunium sidoides</i>
585	<i>Hypoxis</i>
586	<i>Delosperma</i>
587	
588	<i>Dierama</i>
589	
590	<i>Gladiolus saundersii</i>
591	
592	
593	<i>Sutherlandia montana</i>
594	<i>Papaver aculeatum</i>
595	<i>Androsymbium striatum</i>
596	
597	<i>Moraea alticola</i>
598	
599	
600	<i>Albuca</i>
601	
602	
603	<i>Zucomis</i>
604	<i>Delosperma eshtonii</i>
605	<i>Erica ? maesta</i>
606	<i>Hypoxis armerioides</i>
607	<i>Euryops candollei</i>
608	<i>Sabraea</i>
609	<i>Erica</i>
610	<i>Kriphofia caulescens</i>
611	
612	<i>Albuca</i>
613	
614	
615	
616	
617	
618	
619	

1900 m.	Open gravelly banks & among rocks.	black-blue crest to ± 30m. silver leaves S
"	"	"
2,000 m.	Shallow soil on & around steeply sloping rock slabs. Open slopes — among grasses.	black-maroon HPS
"		Yellow. S
"		Purple-pink P
"		In fruit S.
2,100 m.	Ledges on diorite outcrops & steep slopes.	In fruit Open grassland S
2,200 m.	Disturbed areas in loose, sandy clay	Scarlet PS
"		Orange S
"		In fruit S
"	Moist, grassy slope	In fruit S
"		"
2,250 m.	Fissures on sloping rock-slabs	Yellow, 30 cm. + S
2,300 m	Grassy areas on diorite outcrop Fissures & ledges on diorite outcrop	In fruit S
"		" S (PK coll.)
"		" S
"		" PS
"		" S
"		Yellow PS
"		In fruit S
"	Open, stony area — among grasses.	" S
"		"
"	Stony slope.	50 cm S

15,620	<i>Zaluzianskya</i>	} Eastern Cape, Barkly East district, Naudesnek : summit
621	<i>Romulea massowanii</i>	
622	<i>Rhodohypoxis</i>	
623	<i>Helichrysum sessiloides</i>	
624	<i>Craterocapsa</i>	
625		
626		
627		
628	<i>Helichrysum marginatum</i>	
629	<i>Geranium? drakensbergense</i>	
630	<i>Urnbea angustifolia</i>	} Eastern Cape, Naudesnek, SE-facing side
631		
632	<i>Aristea woodii</i>	
633		
634		
635		
636	<i>Kniphofia (stricta?)</i>	
637	<i>Kniphofia parviflora</i>	
638	<i>Hesperantha tysonii</i>	
639	<i>Moraea</i>	
640	<i>Gladolus oppositiflorus salmonicus</i>	} Eastern Cape, Naudesnek to Ben Macdhui (along Lesotho border) ^{ESE of}
641	<i>Dierama</i>	
642	<i>Cystanthus epiphyticus</i>	
643	<i>Bulbine</i>	
644	<i>Kniphofia caulescens</i>	
645	<i>Phygelius capensis</i>	
646	<i>Alepidia</i>	
647		
648	<i>Erica</i>	
649	<i>Helichrysum marginatum</i>	
650		} Eastern Cape, Naudesnek to Ben Macdhui (along Lesotho border) ^{ESE of}
651	<i>Dierama robustum</i>	
652	<i>Kniphofia hirsuta</i>	
653	<i>Urnbea angustifolia</i>	
654	<i>Dierama pauciflorum</i>	
655		
656	<i>Kniphofia nothiae</i>	
657	<i>Cystanthus</i>	
658		
659	<i>Helichrysum bellum</i>	
660	<i>Crassula setulosa var. curta</i>	
661		
662	<i>Ruschia potterillii</i>	
663		

2,450 m.	Shallow pockets of gravelly soil on exposed col	Pulvinate; in fruit S
"	"	PS
"	"	Crimson O
"	"	Seed dehiscid PO
"	"	Pulvinate O
"	"	"
"	"	"
"	In turf & among rocks on steep, grassy slope	(Steep grassy slope) S
"	"	S: few
"	"	S
"	Among grass on steep slope	"
"	"	In fruit S det PG.
"	"	"
"	"	"
2,400 m.	Among grasses on steep, stony, SE-facing slope	Red yellow-green & hark orange.
"	"	Most seed dehiscid S
"	"	Pink S det PG
"	"	In fruit S few
"	"	" ; salmon-pink S
"	"	Few plants S
"	"	In fruit S
"	"	S
"	Among rocks on steep, SE-facing slope - moist	Scarlet & yellow PS
"	"	Scarlet PS
"	"	Green-white; 2m. S?
"	"	"
"	Fissures on S- & SE-facing cliffs	In fruit; S
"	"	S
2,750 m.	Among grass on open slopes.	" S
"	" - moist	" S
"	Wet-flush on open slope	White; " S
"	Moist, peaty soil - among grasses in open site	" S
"	"	"
"	Upon sites along margins of streams	In fruit S
"	"	S
"	"	"
"	Dryish stony areas in open situations	" S
"	Moist, gravelly area.	" S
2900 m.	Exposed rock fissures	" S

18 MARCH, 1996 : EASTERN CAPE

15,664	<i>Kriphofia</i>	} Eastern Cape, SW of Rhodes (to Barkly East)
665	<i>Zaluzianskya</i>	
666	<i>Dierama</i>	
667		
668		
669	<i>Kriphofia</i>	} Eastern Cape, Witteberge, SE of Lady Grey
670	<i>Gunnera</i>	
671	<i>Geranium</i>	
672		
673	♀ <i>Gonophostigma virgatum</i>	"
674		"
675	<i>Dierama</i>	} Eastern Cape, Witteberge, E of Lady Grey (to Joubertpass)
676		
677	<i>Gladiolus dalenii</i>	
678		
679	<i>Sutherlandia</i>	
680	<i>Albuca</i>	
681	<i>Scilla</i>	
682	<i>Balbina narcissifolia</i>	
683		
684	<i>Gladiolus saundersii</i>	
685		
686	<i>Albuca</i>	} Eastern Cape, Witteberge, Joubertpass (summit), E of Lady Grey
687		

1700 m.	Among rocks in open situation	Scarlet & yellow	S
"	"	White: in fruit	S
"	"	In fruit	S
1500 m.	Among long grasses in marshy area	In fruit; ± 1 m.	S
"	"	30-40 cm.	O
"	"	Pink; 20 cm.	S: few
1900 m.	Among rocks at edge of fast-flowing stream	White; 2 m.	HPS
"	Occasional among rocks & scrub on dryish slopes.	Pink-purple	HPS
2,100 m.	Deep, moist soil; among grasses & scrub	Scarlet & yellow	HPS
2,200 m.	Crevices & pockets on diorite outcrops	Scarlet	S
"	"	In fruit	S
"	"	"	S
"	"	"	S
"	Among grasses; in stony clay.	"	S
2250 m. (7,340 ft.)	Gravel in rock-pocket on S-facing diorite cliff	Yellow, 3-5 cm.	S

19 MARCH, 1996 : EASTERN CAPE

15,688	?	Eastern Cape, WNW of Matatiele
689	<i>Hyperic</i>	
690		
691		
692	<i>Kriphofia</i> ? natalensis	} E. Cape (KwaZulu-Natal), W of Kokstad, SW of Mt. Curie
693	<i>Watsonia</i>	
694		
695		
696	<i>Brassicaria</i>	} E. Cape (KwaZulu-Natal), N of Kokstad (to Mount Curie)
697		
698		
699		

	Open sites in stony clay.	Pale blue, decumbent.	S
	"		O
1500 m.	Among grasses on open slopes.	Not in fl.	S
"	"	"	S: few
"	"		
"	Open grassland	Rose-pink	P

Kwazulu-Natal, N of Sani Pass

15,700	<i>Euryops actaeus</i>
701	<i>Helichrysum milfordiae</i>
702	<i>Erica</i>
703	
704	<i>Glunicalyx</i>
705	
706	
707	
708	<i>Romulea</i>
709	<i>Urnbea</i>
710	<i>Massonia</i>
711	<i>Hesperantha</i>
712	<i>Androcymbium</i>
713	<i>Sabaea</i>
714	<i>Moraea</i>
715	<i>Kriphofia fluvialis</i>
716	<i>Euryops (depressa) decumbens.</i>
717	<i>Helichrysum album</i>
718	
719	

Lesotho, Sani Top.

2850 m.	Fissures in cold S & SE-facing cliffs:	Yellow; in seed S
"	"	Large cushions S
"	"	Like pulvinata Cassiope wardii
"	In turf & among stones at base of SE-facing cliffs	Orange yellow S.
2900 m.	Shallow, gravel-filled depressions on rock slabs.	In fruit only S
"	"	" S
"	"	" S
"	"	" S
"	"	" S
"	In turf along stream	Yellow S; v. few S
"	In running water among boulders in stream bed	No fruit or flowers 0
"	Open, stony areas & rock slabs.	In fruit S
"	"	White, crimson-backed S.

21 MARCH, 1996 : KWAZULU - NATAL

{ Kwazulu-Natal, Drakensberg, }
S of Sani Pass

15,720	<i>Geranium</i>
721	<i>Sabaea</i>
722	<i>Dietama</i>
723	<i>Kriphofia</i>
724	<i>Helichrysum aureum</i>
725	<i>Eucomis schiffii</i>
726	(Liliaceae)
727	
728	<i>Cotyledon orbiculata</i>
729	<i>Gladiolus flanaganii</i>
730	<i>Homocentrus</i>
731	<i>Cystanthus</i>
732	
733	
734	<i>Helichrysum ? sutherlandii</i>
735	
736	<i>Wahlenbergia</i>
737	<i>Hesperantha</i>
738	<i>Helichrysum pagophilum</i>
739	

2850 m.	Ledges on E-facing cliffs: among grass-tussocks	Lilac-pink S: few
"	"	Yellow
"	"	In fruit S
"	"	" S
"	"	" : bright yellow S
"	"	In fruit S
"	"	" S
"	"	" S
"	Fissures on E & SE-facing cliffs	" S
"	"	" S: few
"	"	" : inaequalis 0
"	"	" : " 0
"	"	"
"	Rock-crevices on open E & NE-facing slope	White S?
"	"	"
"	Fissures on vertical SE-facing cliff	Seed dehiscid 0
"	"	In fruit S
"	"	No seed 0
"	"	"

21 MARCH, 1996 : KWAZULU-NATAL

15,740	<i>Alepinia</i>	
741	<i>Hesperantha</i>	
742	<i>Gladiolus</i>	
743		
744	<i>Aristea</i>	
745		
746		
747	<i>Sutera pinstripata</i>	
748	<i>Sutera</i>	
749		
750	<i>Diascia cordata</i>	
751		
752		
753	<i>Protea subvestita</i>	
754		

2850 m.	Steep, grassy slopes below cliffs	In fruit	S
"	"	"	S
"	"	" : most deformed S	few
2800 m.	"	In fruit	S
2,600 m.	Loose, gravelly soil & disturbed areas in open aites	Pink	S
"	"	Orange	S
2400 m.	"	Pale salmon; sprawling	
"	"		
"	Open, rocky slopes.	In fruit; 2-3 m. shrubs.	

22 MARCH, 1996 : KWAZULU-NATAL

15,755	<i>Kniphofia</i>	Kwazulu-Natal, N of Himeville (to Mkhomazi)
756	<i>Watsonia</i>	
757		"
758	<i>Zaluzianskya</i>	"
759	<i>Aristea</i>	"
760	<i>Craterocapsa</i>	"
761	<i>Watsonia</i>	"
762	<i>Protea simplex</i>	"
763		"
764		"
765		"
766	<i>Kniphofia</i>	"
767		"
768	<i>Kniphofia ? exoniensis</i>	Kwazulu-Natal, E of Mkhomazi : Carters Hill
769	<i>Hypericum</i>	
770	<i>Helichysum</i>	
771		"
772	<i>Kniphofia</i>	"
773		"
774	<i>Watsonia</i>	Kwazulu-Natal, WSW of Nottingham Road : Soutar Hill
775		
776		"
777	<i>Kniphofia laxiflora</i>	"
778		"
779	<i>Dierama latifolium</i>	"

1200 m.	Among grass on open, rocky slope; gravelly soil	In fruit	S
"	"	"	S
"	Gravelly soil & crevices on rock outcrops.	Eubinate	S
"	"	In fruit	S
"	"	" : blue	PS
"	"	"	S
"	"	"	S
"	"	"	S
"	"	"	S
"	Marshy areas & wet grassland	Orange, scarlet & yellow	6.5m.
1600 m.	Among grasses & scrub on steep, moist slope	Pale orange	OS
"	"	"	
"	"	"	
"	"	"	
1700 m.	Open grassy slopes.		
"	"		
"	"		
"	"		

23 MARCH, 1996 : KWAZULU-NATAL

15,780	<i>Streptocarpus</i>	Kwazulu Natal, Drakensberg, SW of Njesuthi valley (WSW of Estcourt)
781	<i>Begonia straminea sutherlandii</i>	
782		"
783		"
784	<i>Crocasmia</i>	"
785		"
786		"
787	<i>Hesperantha</i>	"
788		"
789	<i>Eucomis</i>	"
790	<i>Kriphofia</i> ? <i>ichopanic</i>	"
791		"
792	<i>Hesperantha</i>	"
793	<i>Agapanthus</i>	"
794	<i>Moraea brevistyla</i>	"
796		"
797	<i>Kriphofia</i> aff. <i>nufa</i>	"
798	<i>Gunnera perpensa</i>	"
799		"
800		"
801		"
802		"

1400 m.	In moss on boulders in Podocarpus woodland with ferns, Orchidaceae, etc.	Pale lavender	S
"		Orange	O
1500 m.	Among undergrowth in shade of Podocarpus woods	Little seed set	O
2000 m.	Cracks & ledges on sandstone cliffs	Deep ruby pink	P
"	Steep grassy slopes below sandstone cliffs		S
"	"		S
2200 m.	Steep, open, moist slopes; among grass tussocks	In fruit (pink)	}
"	"	"	
"	"	"	S
"	"	"	(few)
"	Steep, wet, grassy slope	"	S
"	"	"	S

24 MARCH, 1996 : ORANGE FREE STATE

15,803	<i>Eucomis bicolor</i>	{ Orange Free State, Platberg E }
804	<i>Agapanthus</i>	
805	<i>Galearium woodii</i>	
806		
807	<i>Helichrysum</i> ? <i>confertiflorum</i>	
808		
809	<i>Kriphofia caulescens</i>	
810	<i>Crassula</i>	
811		
812	<i>Aristea</i>	
813	<i>Watsonia</i>	
814	<i>Helichrysum</i> ? <i>adenocarpum</i>	
815		
816	<i>Hesperantha</i>	
817	<i>Eucomis 'nana'</i>	
818	<i>Scilla</i>	
819	<i>Haemanthus</i>	
820	<i>Aloe aristata</i>	
821	<i>Albuca</i>	

2300 m.	Steep, stony & grassy slopes below summit plateau	In fruit	S
"	"	Many plants; no flowers.	
"	Rock fissures & gravelly places.	Clear blue	S
2350 m.	Open stony site on summit plateau	White rays.	S
"	Among rocks beside lake on summit plateau	Scarlet & yellow	PS
"	"	In fruit	S
"	Open, stony grassland in rocky places on summit	In fruit	S
"	"	" " : few	S
"	"	Scarlet rays.	S
"	Moist, stony slope on summit plateau	In fruit	S
"	"	"	S
"	"	"	S
"	Among rocks in open sites	Most seeds dehiscent	S
"	"	No flowers	P
"	"	In fruit	S

Number	Species	Location	Altitude	Notes	Flower/Fruit	Other	
15, 822	<i>Crocasmia pearcei</i>	Lesotho/Orange Free State : Drakensberg, Mont aux Sources	2,700 m.	Among grasses on open slopes	No seed set	0	
823	<i>Motaea robusta</i>		"	"	In fruit	S	
824	<i>Watsonia</i>		"	"	In fruit: few	S	
825	<i>Motaea inclinata</i>		"	"	Most dehiscid	0	
826			"	"			
827			"	"			
828	<i>Eucomis autumnalis clavata</i>		"	2,800 m.	Steep, moist, grassy SW-facing slope	In fruit	S
829	<i>Kniphofia porphyrantha</i>		"	"	"	"	S
830			"	"			
831	<i>Erica</i>		"	"	In short turf on rocky, W-facing slope	White; tight mats	P
832	<i>Helichysum ecklonii</i>		"	"	"		
833	<i>Helichysum adenscarpum</i>		"	"	"		
834	<i>Ranunculus bautii</i>		"	"	Among rocks down steep gully.	In fruit	S
835			"	"			
836	<i>Nerine</i>		"	2,900 m.	Diorite rock crevices & among boulders	Pink	PS
837	<i>Xerophyta</i>	"	"	"	Rose-pink	PS	
838	<i>Heperanthes</i>	"	"	"	3cm.; carmine-pink	S	
839	<i>Erica</i>	"	"	"	Compact, small fls.	HS	
840	<i>Erica</i>	"	"	"	Upright	HS	
841	<i>Helichysum sutherlandii</i>	"	"	Diorite rock slabs in open W & NW-facing sites	White	P	
842	<i>Usteospermum jucundum</i>	"	"	Open stony & grassy slopes	Pink	PS	
843	<i>Alepichia ? pumila</i>	"	"	"	White; 20cm.	S	
844	<i>Getanum</i>	"	"	"	Lilac-pink	S	
845	<i>Albuca</i>	"	"	"	30cm.; white striped green.		
846	<i>Agapanthus patens</i>	"	"	"	Blue; little seed set		
847	<i>Eucomis bicolor</i>	"	"	"	In fruit	S	
848	<i>Motaea</i>	"	"	"	Yellow-green	0	
849	<i>Dierama dracomontanum</i>	"	"	"	In fruit	S	
850		"	"				
851		"	"				
852		"	"				
853	<i>Motaea</i>	"	3,000 m.	Fissures on sandstone cliffs & among rocks	Pale lilac	HPS	
854		"	"	"			
855	<i>Nerine</i>	"	"	Gravelly ledges & pockets on & below cliffs	Pink	P	
856	<i>Albuca</i>	"	"	"	In fruit	S	
859	<i>Eucomis schiffii</i>	"	"	"	"	S	
860	<i>Nemesia</i>	"	"	"	Violet blue	S	
861		"	"				
862	<i>Kniphofia ritualis</i>	"	"	Among rocks at base of cliffs; stony grassland	In fruit	S	
863		"	"				
864		"	"				
865		"	"				
866		"	"				
867		"	"				

26 MARCH, 1996 : KWAZULU NATAL

15, 868	<i>Protea dracomontana</i>	} KwaZulu Natal, Drakensberg, W. of Olivershoek Pass
869	<i>Watsonia lepida</i>	
870	<i>Erica cerinthoides</i>	
871		
872		

Themeda - grassland on open NW & NE facing slopes. Open, spreading shrub 50cm. ^S
 " " " " In fruit. ^S
 " " " " Seed dehiscent

28 MARCH, 1996 : WESTERN CAPE

15, 873	<i>Watsonia wilmaniae</i>	} Western Cape, Groot Swarthegat S of Prince Albert : Swarthegatpas
874	<i>Erica cerinthoides</i>	
875		
876	(<i>Restionaceae</i>)	
878	<i>Watsonia marlothii</i>	
879	<i>Hesperantha</i>	
880	<i>Protea</i>	

In fynbos on steep, rocky slopes & along stream. In fruit ^S
 " " " " Scarlet ^o
 Gravelly soil on open, stony slopes.
 " " " " In fruit ^S
 " " " " " ^S
 " " " " Pale pink; crimson exterior
 " " " " Low shrub to 60cm.
 " " " " In fruit ^S