

Jim & Jenny Archibald

'BRYN COLLEN', FFOSTRASOL, LLANDYSUL, SA44 5SB, WALES,
U.K.

BULB LIST : 2010

Bulbils, Offsets, Seedling Bulbs & Flowering-size Bulbs available Summer 2010

A BRIEF UPDATE : We had planned to send out this bulb list to customers in the UK and rest of the EU in July, 2010, along with a summer seed list. Sadly, circumstances have altered considerably over the past few weeks. In June, Jim was diagnosed with a brain cancer ("incurable" and "inoperable") so Jenny is now almost entirely in charge and feels that she must move as quickly as possible to clear as much stock as possible. Over the next few months, we want to reduce our stocks by 75% at least. So, while we have more or less retained the original format for this list our emphasis has moved from small surplus bulbs to flowering sized bulbs. Terms and instructions regarding payment are as for seed orders : UK customers, please use open, limit cheques where possible. EU customers may find it easiest to use cash for smaller orders and PayPal for larger orders but please take care to note the small but essential alteration to our e-mail address : sales@jjaseeds.net . As we have included many flowering sized bulbs (marked **FS**), we must make an additional charge for postage on bulb orders. As quite a lot of material will be small enough to go into our standard seed-packets, small orders may be sent in padded envelopes. In this case, if you have sent an excess for postage we shall include extra bulbs to compensate. If we have enough material, we shall not be ungenerous.

POSTAGE CHARGES ON BULB ORDERS : UK ONLY £3. - : ELSEWHERE IN EU : \$ 7. - ; £ 5. - ; € 5. -

FS = FLOWERING SIZE

- 112.010 : ACIS NICAENSIS** (*Leucojum nicaense*) No data. Only known from the corner of SE France near the Italian border. Spring-flowering with wide, white bells on stems of 15cm. at most. Don't dry in summer. **FS** or near : 3 bulbs : **C**
- 112.020 : ACIS ROSEA** (*Leucojum roseum*) France, Corsica, Pointe de Revellata NW of Calvi. Pockets on granite. (Delicate, tiny, fairy-like autumn-flowering bulb. Shell-pink bells on thready, 5-10cm. tall stems.) **FS** or near : 3 bulbs : **D**
- 112.051 : ACIS TRICHOPHYLLA** (*Leucojum trichophyllum*) Spain, Cadiz, W of Jerez de la Frontera. 60m. Sandy soil. (A beautiful, pink-flowered population of this 20cm., spring-flowering species for the alpine-house.) **FS** or near : 5 bulbs : **D**
- 112.110 : ACIS VALENTINA** (*Leucojum valentinum*) Our stock came from the late Kath Dryden under this name & differs somewhat from other stocks we have seen. The species was originally recognized as having populations both in Portugal & Greece (now considered to be separate species) but we have no provenance. Spring-flowering. . . **FS** or near : 3 bulbs : **D**
- 130.950 : ALLIUM CAERULEUM** Kirghizstan, Alatau, near Bishkek. J. Ruksans coll. (Dense, rounded umbels of many flowers in a beautiful, distinct shade of dusky sky-blue on 50cm. stems in midsummer.) 5 offset bulbs : **B**
- 227.950 : BELLEVALIA LONGISTYLA** Turkey, Van, E of Lake Van. 1800m. Heavy clay in moist, depression. JJA 6303. (Vinous purple, green and brown flowers. As fruits mature pedicels elongate greatly.) **FS** or near : 1 bulb : **C**
- 228.150 : BELLEVALIA ROMANA** Greece, Ioanina, Mitsikeli. 860m. Ledges on S-facing, limestone cliff. (Heads of open-mouthed, white bells on 15cm. tall stems.) **FS** or near : 3 bulbs : **D**
- 232.200 : BIARUM MARMARISENSE** Turkey, Muğla, Marmaris peninsula. R. & R. Wallis coll. (A selected pink-flushed form of this fascinating, little aroid, the Turkish mainland version of *B. davisii*.) **FS** or near : 3 tubers : **E**
- 232.189 : BIARUM MARMARISENSE from SIMI** Greece, Simi. (Island race intermediate between the Cretan *B. davisii* & Turkish *B. marmarisenense* thought by some to merit separate taxonomic status.) **FS** or near : 3 tubers : **E**
- 232.505 : BIARUM TENUIFOLIUM var. ZELEBORII** Turkey, Mugla, N of Marmaris. 300m. Woodland. N. Stevens coll. (The spring-flowering race with almost stemless, velvety, brown-purple spathes.) **FS** or near : 3 tubers : **D**
- 1.151.500 : CALOCHORTUS ARGILLOSUS** California, NE of San Luis Obispo. 180m. Heavy clay on open slope. JJA 12770. (Lovely Mariposa. White flowers, flushed lilac, with variable dark basal markings on wiry, 20cm. stems.) . . 5 bulbils : **C**
-

B : \$3.00 ; £2.50 ; €3. - D : \$6.00 ; £4.00 ; €5. - F : \$9.00 ; £6.00 ; €7. -
C : \$5.00 ; £3.50 ; €4. - E : \$7.50 ; £5.00 ; €6. - G : \$15.00 ; £10.00 ; €12. -

- 1.178.006 : CALOCHORTUS TOLMIEI** California., Sierra Co. (Hairy, lavender flowers) **FS** or near : 1 bulb : **C**
- 1.179.500 : CALOCHORTUS UNIFLORUS** California, Lake Co., NE of Middletown. 290m. Heavy clay. JJA 11665. (Dwarf, lilac flowered member of Subsect. *Nudi*. Easily grown, it fits in well with Mediterranean bulbs.) 5 bulbils : **B**
- 298.120 : CHIONODOXA FORBESII** Turkey, Mugla, SE of Fethiye. 1100m.. Under *Cedrus* on steep limestone slopes. (Exquisitely intense blue flowers. The genuine species from our own wild collection..) **FS** or near : 3 bulbs : **D**
- 298.109 : CHIONODOXA CRETICA 'MELVYN'** Greece, Crete, Hania, Omalos. M. Jope coll. (A selected clone of the largest flowered of the three Cretan species, sometimes merged under *Scilla nana*. The lowest altitude taxon, distributed between 1300m. & 1700m. & the tallest at around 15cm. This is a very fine clone of the only really blue-flowered Cretan.) **FS** or near : 1 bulb : **B** ; 3 bulbs : **F**
- 311.600 : COLCHICUM BAYTOPIORUM** Turkey, Antalya, Gulluk Dağ. 750m. Among limestone boulders in dense scrub. (A local, medium-sized species. Pink flowers in autumn, with narrow, recurving leaves later.) **FS** or near : 1 corm : **C**
- 311.800 : COLCHICUM BOISSIERI** Greece, Viotia, Parnassos. 1500m. Gravelly areas under pines. (A sweet little species forming long soboliferous corms. Lilac-pink flowers in autumn, before the few linear leaves.) 3 offset corms : **D**
- 314.250 : COLCHICUM FEINBRUNIAE** Syria, near Laqlouq. R.& R.Wallis 99-32. (A distinct, very attractive & floriferous, faintly tessellated, pink, medium-sized, autumn-flowering species, recently described & now introduced to cultivation. One of the first species to flower with us, usually appearing in mid-August.) **FS** or near : 1 corm : **F**
- 315.800 : COLCHICUM MINUTUM** Turkey, Antalya, near Gundogmus. Clay-filled limestone pockets. (The smallest *Colchicum*, a tiny, recently described species with a very disjunct distribution along the southern slopes of the Cilician Taurus range, from above Alanya to near Adana. Little, spidery, pink flowers in early spring.) 3 offset corms : **F**
- 315.907 : COLCHICUM MONTANUM** (*Merendera montana*, *M. bulbocodium*, *M. pyrenaica*) Spain, Segovia, Vegas de Matute. 1000m. R.D. Dominguez coll. (A plant of alpine turf where its bright, purple-pink flowers herald the coming winter by opening flat in early autumn before the narrow, dark leaves. Easily grown in the UK.) 3 x 3rd year seedling corms : **B**
- 316.400 : COLCHICUM PARNASSICUM** Greece, Viotia, Oros Parnassos. 1600m. Stony, limestone slopes. (Pale purple-pink autumn flowers followed by narrow leaves. Endemic to Parnassus & adjacent Elikon only.) 3 offset corms : **E**
- 340.510 : CROCUS BANATICUS** No data. like no other *Crocus* & in a subgenus of its own. Best grown outside in the UK in a cool, humus-rich site. Autumnal, bluish lilac to purple flowers have big, feathery, lilac styles, surrounded by wideopen outer segments and shorter, erect, inner ones, giving them an iris-like appearance. **FS** or near : 1 corm : **B** ; 3 corms : **F**
- 340.511 : CROCUS BANATICUS 'ALBUS'** Superlative late clone. J. Marr collection **FS** or near : 1 corm : **F**
- 345.200 : CROCUS GOULIMYI** Greece, Messinia, S of Kalamata. 300m. In humus under *Quercus*. (Local in nature but easy to grow. Prolific, distinct & beautiful pale lavender flowers on very long tubes in autumn.) 3 offset corms : **B**
- 345.201 : CROCUS GOULIMYI** Greece, Lakonia, coast beyond Neo Itilo. Sea-level. Among *Euphorbia* scrub. (Interesting & from an odd habitat. Dwarfier, more delicate & flowering a few weeks later than the above.) 3 offset corms : **C**
- 352.006 : CROCUS SEROTINUS subsp. SALZMANNII** Spain, Segovia, El Espinar. 1350m. R.D. Dominguez coll. (One of the the most vigorous autumn-flowerers. Profuse pale-lilac flowers.) 3 x 3rd year seedling corms : **B**
- 352.099 : CROCUS SEROTINUS subsp. SALZMANNII** Spain, Granada, Sierra Nevada below Peñones de San Francisco. 2300m. Turf. JJA 12146. (A strongly stoloniferous race., pale lilac flowers in autumn.) 3 offset corms or stolons : **C**
- 353.109 : CROCUS SPECIOSUS subsp. ILGAZENSIS** Ilgaz Dağ. Ex C.Lovell & P.Bird 599. **FS** or near : 1 corm : **C**
- 353.120 : CROCUS SPECIOSUS subsp. XANTHOLAIMOS** Turkey, Sinop, SW of Kabali. 1350m. AHEP 83-24 (Only known from *Abies* woodland in this wet area. More dainty than the type race & distinguished by its yellow, rather than white, throat, filaments & anthers. Otherwise, translucent, veined lilac-blue goblets in autumn.) **FS** or near : 1 corm : **C**
- 354.002 : CROCUS VELUCHENSIS** Jugoslavia, Serbia, Kosovo, above Vratnica. 800m. Leaf-soil over clay in dense *Fagus* woods. (A splendid, woodland form from the Albanian-Kosovan border. Large, lavender-blue flowers shading to darker, violet tips, in spring. Likes it cool & not too dry. Possible outside in UK.) **FS** or near : 1 corm : **B** ; 3 corms : **F**
- 1.352.100 : ERYTHRONIUM MULTISCAPOIDEUM** So-called "E. cliftonii" population from Pulga. **FS** : 1 corm : **F**
- 491.201 : FRITILLARIA ARMENA** Turkey, Erzurum, Kop Dağ. 2550m. Exposed, gravelly areas. JJA 6439. (The small, dark, snow-melt endemic of the E Turkish mountains. Nodding bells, purple-black inside & out.) 10 bulbils : **D**
- 491.810 : FRITILLARIA AUREA** No data. A plant of alpine-steppe, usually on limestone, between 1800 and 3000m. Large yellow bells on stems of less than 15cm., clad in glaucous grey leaves. 10 bulbils : **D**
- 492.406 : FRITILLARIA CARICA** (subsp. *carica*) Turkey, Muğla, SE of Fethiye. 850m. In humus beside boulders in deep shade of *Pinus*. JJA 14505. (Clear yellow bells. A very pretty, little form, growing here with *F. forbesii*.) 10 bulbils : **C**
- 492.906 : FRITILLARIA COLLINA** Ex. Russia, N. Ossetia, near Holst. 2400m. Among grasses & scrub in moist meadow (Challenging alpine meadow plant, bright yellow bells. Do not dry out.) **FS** or near : 1 bulb ex wild seed : **F**

B : \$3.00 ; £2.50 ; € 3. - D : \$6.00 ; £4.00 ; € 5. - F : \$9.00 ; £6.00 ; € 7. -
C : \$5.00 ; £3.50 ; € 4. - E : \$7.50 ; £5.00 ; € 6. - G : \$15.00 ; £10.00 ; € 12. -

- 494.000 : FRITILLARIA DAVISII** Greece, Lakonia, NW of Pirgos Dirou. Low, limestone hills. (Shiny bright-green leaves & no green stripes on its variable, tubby, brown-purple chequered bells.) 3 offset bulbs : **B**
- 495.004 : FRITILLARIA ELWESII** Turkey, Icel, Findikpinar above Mersin. P. Davis 26500. (Very elegant with greyish, linear foliage and narrow, purple-black bells, striped with grey-green, on 30cm. stems.) 10 bulbils : **C**
- 496.951 : FRITILLARIA HERMONIS : SELECTED PLUM CLONE** Syria, Mt. Hermon between Quatana & Barqash. 1450m. R. & R. Wallis 96-45b (Superb, dwarf, dark plum-coloured clone near to the original type-form.) 5 bulbils : **E**
- 497.760 : FRITILLARIA aff. KOTSCHYANA** Iran, Gilan/Ardabil, E of Khalkhal. 1900m. Alpine turf & moist gulleys. (Broad, glossy green foliage & big, pendant, pale-green bells with a ghostly brown chequering or tinge.) 3 offset bulbs : **D**
- 498.199 : FRITILLARIA LATIFOLIA** Turkey, Ardahan, Çam geçidi ESE of Şavşat. 2300m. Among grasses on rocky slope. (A magnificent mountain-plant from NE Turkey into the Caucasus. Shining green leaves & immense, darkest maroon-purple bells on 20-30cm. tall stems. A cold-climate plant not easy in the UK.) 3 x 3rd year seedling bulbs ex wild seed : **F**
- 500.101 : FRITILLARIA MINUTA** Turkey, Bingol, Kuruca Pass. 2000m. E.M. Rix 1625. (Little, narrow, terracotta-coloured bells. A neater, dwarfer form than more recent collections from the Van area.) 10 bulbils : **D**
- 500.450 : FRITILLARIA NOBILIS** Turkey, Gümüşhane, Köse Geçidi. 1960m. Gravelly area on N-facing slope. (Sumptuous, dwarfer, drier-growing, western version of *F. latifolia*. The comparatively huge, broad bells, heavily tessellated with rich red-purple, open, almost stemless, sitting on the glossy, green basal leaves.) **FS** or near : 1 bulb ex wild seed : **F**
- 500.800 : FRITILLARIA OLIVIERI** Iran, Hamadan, Alwand. Damp meadows. E.K.Balls coll. (The old EKB stock, a little different to the Furse, 1962 collection. Big soft-green & brown bells on 20cm. stems.) 10 bulbils : **D**
- 1.371.700 : FRITILLARIA PUDICA** Idaho, Butte Co., NE of Carey. 1520m. E & SE-facing slopes of stony ridge. (Nodding, clear-yellow bells, sometimes maturing to orange-red shades, on stems of 20cm. or less.) 10 bulbils : **C**
- 502.440 : FRITILLARIA REUTERI** Iran, Esfahan, N of Daran. 2500m. Among grasses in stony, melt-water gulleys. (Wide mahogany bells, broadly bordered with yellow. Keep cool and just moist when dormant.) ... **FS** : 1 bulb ex wild seed : **F**
- 502.701 : FRITILLARIA RUTHENICA** Russia, Saratov district. (Narrow foliage with curled, cirrhose tips to the upper leaves. Dark maroon-red, chequered bells. The genuine plant from wild seed) **FS** : 1 bulb ex wild seed : **E**
- 503.500 : FRITILLARIA STRIBRNYI** Turkey, Çanakkale, Gelibolu (Gallipoli). V. Horton & N. Stevens 2067. (Elegant, about 20cm. high with linear, greyish foliage & narrow, glaucous, untessellated, purple & green bells.) 10 bulbils : **E**
- 502.102 : FRITILLARIA THEOPHRASTI** (*F. pontica* var. *substipelata*) Greece, Lesbos. H.& I. Barton coll. (Tall & slender. Long, waisted, pale-green bells blotched with purple-brown at the tips. A fine thing.) 10 bulbils : **D**
- 4.392.109 : FRITILLARIA USSURIENSIS** China. 800m. No further data. (Slender 50cm. stems with curling, linear leaves & about 5, nodding bells in purple-brown, chequered with yellow. From moist, shady places through the Russian Far East to Korea & the northernmost provinces of China. Woodland conditions : do not dry out the dormant bulbs.) 5 bulbils : **F**
- 504.700 : FRITILLARIA WHITTALLII** Turkey, Antalya, SW of Elmali. 1600m. Opening among *Cedrus*. JJA 14585 (Exceptionally local. Elegant with linear leaves & wide pale-green bells, tessellated with purple.) 10 bulbils : **D**
- GALANTHUS**: just a few good snowdrops. Nothing for galanthomaniacs here. Some species and a few good, well-proven, reliable, garden-worthy clones, which do well with us in West Wales. Sent out freshly lifted & damp-packed.
- 6.499.800 : GALANTHUS X ALLENII** Dating from the 1880's. Maybe a natural hybrid between the Caucasian *G. alpinus* and *G. woronowii*. Broad green leaves & plump, almond-scented flowers **FS** or near : 1 bulb : **C** ; 3 bulbs : **G**
- 6.499.820 : GALANTHUS 'ATKINSII'** Elegant with elongated segments. Dating from the 1860's **FS** or near : 3 bulbs : **D**
- 508.500 : GALANTHUS FOSTERI** Turkey, Hatay, E of Belen. 1250m. Shaded limestone crevices. (Distinct with shiny, rich green leaves. From central Turkey, Syria & Lebanon. Does well pot-grown.) **FS** or near : 1 bulb : **C** ; 3 bulbs : **G**
- 508.610 : GALANTHUS GRACILIS** (syn. *G. graecus*) Allegedly the 'Wisley form', which may be the one named 'Corkscrew' in the Bishop, Davis & Grimshaw monograph. Spiralling greyish leaves **FS** or near : 1 bulb : **B** ; 3 bulbs : **F**
- 6.499.890 : GALANTHUS 'MAGNET'** Supremely elegant with its flowers hanging on distinctive long pedicels. Dating from the 1880's but still vigorous & by far the best garden snowdrop with us. **FS** or near : 1 bulb : **B** ; 3 bulbs : **F**
- 6.499.900 : GALANTHUS NIVALIS 'LADY ELPHINSTONE'** The classic 'double yellow' dating from 1890. May need to settle in after transplanting to show its true colour. Does well with us. **FS** or near : 1 bulb : **B** ; 3 bulbs : **F**
- 509.100 : GALANTHUS PESHMENII** Turkey, Antalya. R.& R. Wallis coll. (Autumn-flowering, SW Turkish endemic described in 1994. More reliable here (with protection) than *G. reginae-olgae*.) . **FS** or near : 1 bulb : **C** ; 3 bulbs : **G**
- 509.301 : GALANTHUS REGINAE-OLGAE** Greece, Lakonia, Oros Taigetos, Profitis Ilias. 1400m. **FS** or near : 1 bulb : **B** ; 3 bulbs : **F**

B : \$3.00 ; £2.50 ; €3.- D : \$6.00 ; £4.00 ; €5.- F : \$9.00 ; £6.00 ; €7.-
C : \$5.00 ; £3.50 ; €4.- E : \$7.50 ; £5.00 ; €6.- G : \$15.00 ; £10.00 ; €12.-

- 509.410 : GALANTHUS RIZEHENSIS** No data. Possibly the old EKB coll. 5 smallish bulbs or offsets (some near FS) : E
- 571.140 : HYACINTHELLA HELDREICHII** Turkey, Antalya, SE of Korkuteli. c. 1000m. Open slopes with sparse scrub. (Sessile, deep violet-blue bells on wiry, 10cm. stems. Not quite so dark as the allied *H. lazulina*.) 3 offset bulbs : C
- 571.200 : HYACINTHELLA LAZULINA** Turkey, İçel, NE of Gülnar. 800m. Limestone slopes. (Recent 'split' from *H. heldreichii*, from the area S of Karaman. Glauous leaves & deepest blue, violet-shot flowers.) 3 offset bulbs : C
- 572.300 : HYACINTHOIDES REVERCHONII** Spain, Jaen, Sierra de Cazorla. 1400m. Limestone cliffs. (An obscure, narrow-endemic. Glossy leaves & distinct, wide-open, rich-blue flowers on 15cm. stems.) FS or near : 1 bulb : B
- 2.470.010 : IPHEION DIALYSTEMON** Argentina. A. Castillo coll. (Hardy with us in an unheated glasshouse. Prostrate, narrow, glossy-green foliage & profuse, brilliant-yellow, upward facing flowers on 5 cm. stems.) 5 offset bulbs : D

583.205 : IRIS AFGHANICA Ex P. Furse 5132. Since the early 1970's we have done our best to maintain and distribute this superlative *Regelia* (the RBG Kew stock came from us) & every year try (with little success) to get sufficient seed to list. Your chance to acquire some of our stock plants ex 3 litre pots (or wait another 40 years) . . \$100. - ; £70. - ; € 80. -

591.370 : IRIS PARADOXA f. MIRABILIS Iran, E Azerbaijan, S of Jolfa. 1450m. Stony slopes. (Most distinct, dwarfest population, which should have at least subspecific status. White veined standards and golden yellow to orange falls. Only known from this bleak area of borderland and with the deteriorating situation in Iran our established stock is likely to be irreplaceable. Stock plants ex 3 litre pots.) \$100. - ; £70. - ; € 80. -

THESE ARE THE KEY SPECIES WE ARE WORKING ON IN OUR COLLECTION OF ONCOCYCLUS IRISES. ALL WILL GO. JENNY WILL BE PREPARING A NAMES-ONLY LIST OF WHAT WE HAVE (MOST IN VERY SMALL NUMBERS). ASK FOR THIS IF YOU WANT IT (S.A.E. FROM U.K. CUSTOMERS WOULD HELP)

- 585.900 : IRIS DANFORDIAE** Turkey, Niğde, Bolkar Dağları. 1800m. Open limestone slope. JJA 17968. (Fertile wild form virtually unknown in gardens. Smaller, more intensely yellow flowers than the commercial stock.) . . . 3 offset bulbs : F
- 595.814 : IRIS RETICULATA** (var. *reticulata*) (Subgen. *Hermodactyloides*) Turkey, Tunceli, Pulumur Cay valley S of Kirmizi-Kopru. 1000m. Open areas among sparse deciduous scrub. (A very fine red-purple form). 3 offset bulbs : E
- 2.525.050 : LEUCOCORYNE ANGUSTIPETALA** Chile, Reg. Metro., NE of Valle Nevado. 3100m. Among igneous rocks. (A diminutive high-alpine species with narrow, white, scented flowers which open at dusk.) 3 offset bulbs : E
- 2.525.230 : LEUCOCORYNE COQUIMBENSIS** Chile, IV, Coquimbo, Guanaqueros. 30m. In sandy soil among coastal mist-belt scrub & in grassland. A. Flores & J. Watson 8699. (Tight umbels of showy flowers, with the segments striped in violet-blue and white, on stems about 30cm. high. Temperature-hardy under glass here.) FS or near : 1 bulb : C
- no ref : LILIUM LANCIFOLIUM var. FLAVIFLORUM** yellow flowered tiger-lily, seems virus-free. Seldom seen. 3 stem bulbils : D
- 687.950 : MUSCARI ANATOLICUM** (Subgen. *Botryanthus*) Turkey, Konya, Sultan Dag. 1760m. Exposed limestone ridgetop. (Tiny, recently described species, rather like *M. discolor* in its open-mouthed, white-tipped flowers.) 3 small bulbs : C
- 688.002 : MUSCARI ARMENIACUM** (Subgen. *Botryanthus*) Turkey, Gaziantep. Ex a N. Stevens coll. (A striking brilliant ultramarine blue form. Likely to be less satisfactory in the open garden than commercial stocks.) 3 small bulbs : B
- 688.800 : MUSCARI COMMUTATUM** (Subgen. *Botryanthus*) Greece, Lakonia. (Deepest violet.) 3 small bulbs : C
- 689.271 : MUSCARI DISCOLOR** Turkey, Urfa, WSW of Urfa. 700m. Exposed, very stony areas. (The 'true' plant from the northern edge of the Syrian Desert. Extremely early flowering. About 10cm. tall. Racemes of open-mouthed bells, the blackish blue of the base contrasting with the white of the apex, occupying almost half the length.) . . . 3 small bulbs : F
- 689.300 : MUSCARI aff. DISCOLOR** Turkey, Sivas, Ziyaret Tepe. 2100m. Exposed, limestone-gravel ridges. JJA 6686. (A tiny, high-altitude plant only a few cm. tall. Dark blue flowers. Not too easy to grow and flower well.) . 5 small bulbs : C
- 689.850 : MUSCARI LEUCOSTOMUM** (Subgen. *Botryanthus*) Turkmenistan, Kopet Dag, near Duschak. J. Ruksans coll. (An eastern species, allied to *M. neglectum*, seldom seen in cultivation. Distinct blue-black flowers.) 3 small bulbs : C
- 690.080 : MUSCARI MCBEATHIANUM** (Subgen. *Pseudomuscari*) Turkey, Adana, ENE of Tufanbeyli. 1200m. Open areas among *Pinus* in moist, fine sand. (The smallest, choicest species. Clusters of tiny, palest blue seed-pearls. A charming, delicate and none-too-easy little grape hyacinth we discovered in 1985 & not relocated until 2009.) . . . 3 small bulbs : F
- 690.610 : MUSCARI PARVIFLORUM** No data. The only autumn-flowering species. Racemes of little, soft-blue bells, barely pinched at their mouths. Not often available. Needs a hot, dry rest to flower well. 3 small bulbs : C

B : \$3.00 ; £2.50 ; € 3. - D : \$6.00 ; £4.00 ; € 5. - F : \$9.00 ; £6.00 ; € 7. -
 C : \$5.00 ; £3.50 ; € 4. - E : \$7.50 ; £5.00 ; € 6. - G : \$15.00 ; £10.00 ; € 12. -

- 693.800 : NARCISSUS ASSOANUS** (*N. juncifolius*, *N. requienii*) France, Haute-Pyrenees, Vallee d'Ossoue. 1500m. S & W-facing limestone cliffs & slopes. JJA 12192. (Little, clear yellow jonquil. A delight in a pot.) 3 offset bulbs : **B**
- 694.100 : NARCISSUS ATLANTICUS** Morocco, High Atlas, above Amizmiz. 2000m. Among scrub, in soft, moist loam. Ex the 1936, E.K. Balls type coll. (Still rare in cultivation & by no means easy to grow. Creamy white jonquils carried singly on 15cm. stems. Distinct from the *N. rupicola* group in its deeper, cup-shaped corona) 3 x 3rd year seedling bulbs : **F**
- 695.403 : NARCISSUS BULBOCODIUM var. GRAELLSII** Spain, Segovia, El Espinar. 1000m. Wet meadows. R.D. Dominguez coll. (A distinct, dwarf race in slightly greenish-white to pale greenish-yellow. Endemic to central Spain, particularly the Sierra de Guadarrama. Quite easy to grow in acid soil.) 3 x 3rd year seedling bulbs : **C**
- 696.256 : NARCISSUS BULBOCODIUM var. NIVALIS** Spain, Avila, Sierra de Gredos, Puerto Lanchas. 1400m. R.D.Dominguez coll. (A miniature alpine hoop-petticoat from alpine-turf. Small, bright-yellow flowers. Utterly different to the High Atlas *N. bulbocodium* not only in flower but in its thready foliage.) 3 x 3rd year seedling bulbs : **C**
- 696.700 : NARCISSUS BULBOCODIUM subsp. PRAECOX** Morocco, High Atlas Mts., below Asni. 1000m. JJA 4656. (Fine, distinct race. Big, soft-yellow flowers with rather narrow, funnel-shaped trumpets in late winter.) 5 offset bulbs : **C**
- 699.806 : NARCISSUS CANTABRICUS** (subsp. *cantabricus*) Spain, Malaga, near Estepona. (Profuse, pure-white hoop-petticoat flowers in early winter. First to flower with us (November, December). Alpine-house.) **FS** or near : 3 bulbs : **D**
- 699.808 : NARCISSUS CANTABRICUS** (subsp. *cantabricus*) Morocco, Djebel Tazzeka. Ex J.W.Blanchard 88-09. (Quite small flowers but beautifully frilled & with exserted anthers. December to February with us. **FS** or near : 3 bulbs : **D**
- 699.809 : NARCISSUS CANTABRICUS** (subsp. *cantabricus*) Morocco, Tizi-n-Targuist. Ex JWB 89-30. (Last of the Moroccans to flowers with us (February, March). Vigorous with large flowers (near var. *petunioides*)) or near : 3 bulbs : **D**
- 699.814 : NARCISSUS CANTABRICUS** (subsp. *cantabricus*) Spain, Madrid, Aldea del Fresno. 500m. Clay. R.D.Dominguez coll. (From a colder climate population. Not yet flowered with us : should flower 2011.) 3 x 3rd year seedling bulbs : **C**
- 699.830 : NARCISSUS CANTABRICUS var. FOLIOSUS** Milk-white hoop petticoats in late winter. 5 offset bulbs : **C**

699.850 : NARCISSUS CANTABRICUS var. PETUNIOIDES Flowering sized bulbs raised from selfed seed of the original clone. A spring-flowering taxon, described by Fernandes from material grown by John Blanchard's father. These have been 'rogued' and all are pure white with the distinct, flat, round corona of the parent. **FS** or near 1 bulb : **C** ; 3 bulbs : **G**

- 699.951 : NARCISSUS CAVANILLESII** (*Tapeinanthus humilis*) Morocco, ESE of Essaouira. M. Salmon & M.Fillan 260. (Only recently placed in *Narcissus*. Upward-facing, starry, yellow flowers appear before the leaves, in autumn. An exceptionally fine form, proving easier to grow & flower than forms from S Spain & Tangier.) **FS** or near : 1 bulb : **D**
- 700.000 : NARCISSUS CORDUBENSIS** Spain, Malaga, Serrania de Ronda. R.& R.Wallis coll. (A fine, scented, deep yellow jonquil, near *N. fernandesii*, with up to 3 flowers on 20-30cm. stems.) 3 offset bulbs : **C**
- 700.105 : NARCISSUS CUATRECASASII** Spain, Cadiz, near Grazalema. Limestone crevices. J.W. Blanchard coll. (In Section *Apodanthae* with solitary, rich-yellow flowers with cup-shaped coronas.) 3 offset bulbs : **C**
- 700.310 : NARCISSUS CYCLAMINEUS** 3 x 3rd year seedling bulbs : **C**

6.729.500 : NARCISSUS 'DINAH ROSE' A splendid clone raised by us from a few seeds collected from a John Blanchard collection of the sought-after, yellow *N. triandrus* var. *concolor* by our late friend Dinah Batterham. Apparently sterile, the parent may have crossed with a jonquil, such as *N. cordubensis*, but it is to all intents a large *N. triandrus* with several rich-yellow flowers on each stout 20cm. tall stem. A superlative vigorous alpine-house bulb. **FS** or near : 1 bulb : **F**

- 6.729.520 : NARCISSUS 'EYSTETTENSIS'** An ancient clone : 'Queen Anne's Double Daffodil'. Unique, starry, perfectly double, pale primrose flowers. Grown before 1600 but seldom available today. **FS** or near : 1 bulb : **D**
- 703.750 : NARCISSUS PSEUDONARCISSUS 'THE O'MAHONY'S VARIETY'** No data. An early-flowering, uniformly bright yellow trumpet daffodil, originating in Ireland & without a wild counterpart. **FS** or near : 1 bulb : **D**
- 705.100 : NARCISSUS ROMIEUXII** (subsp. *romieuxii* var. *romieuxii*) Morocco, Middle Atlas Mts., above Ifrane. 1700m. Mixed woodland. JCA 805. (Extremely variable in form & colour from cream to deeper yellows.) 10 offset bulbs : **B**
- 705.200 : NARCISSUS ROMIEUXII var. RIFANUS** Morocco, Rif Mts., Iguermalet. J.W. Blanchard 89-28 (Authentic material of this delightful, pale-yellow hoop-petticoat. A good grower under glass in the UK.) **FS** or near : 3 bulbs : **D**

B : \$3.00 ; £2.50 ; €3.- D : \$6.00 ; £4.00 ; €5.- F : \$9.00 ; £6.00 ; €7.-
C : \$5.00 ; £3.50 ; €4.- E : \$7.50 ; £5.00 ; €6.- G : \$15.00 ; £10.00 ; €12.-

- 705.405 : NARCISSUS ROMIEUXII subsp. ALBIDUS var. ZAIANICUS** Morocco, Zaian Mts., near Oulmes. J.W. Blanchard 89-23. (An amazing range of forms in a diversity of creams & soft citron yellows.) 5 offset bulbs : **B**
- 705.503 : NARCISSUS RUPICOLA** (subsp. *rupicola*) Spain, Segovia, El Espinar, Aguas Vertientes. 1400m. R.D. Dominguez coll. (A very neat member of Sect. *Apodanthae* with flat, clear-yellow flowers & glaucous leaves. A plant of acid soils in nature. Among the last of the genus *Narcissus* to flower with us.) 3 x 3rd year seedling bulbs : **C**
- 6.729.590 : NARCISSUS TENUIOR** (*N. jonquilla* x *N. poeticus*) First described by Curtis in 1797, & almost exactly intermediate between the two parents, this is a lovely, seldom-seen plant, **FS** or near : 3 bulbs : **E**
- 873.650 : SCILLA GREILHUBERI** (*Fessia greilhuberi*) Iran, Mazandaran, S of Chalus. (Paul Furse's 'Caspian Bluebell', originally distributed as the allied *S. hohenackeri*. Early-flowering with delightful, soft violet-blue flowers with reflexed segments. Hardy in the UK but the flowers are better protected from the winter-weather.) **FS** or near : 3 bulbs : **D**
- 874.009 : SCILLA INGRIDIAE** (*S. ingridiae* var. *taurica*, *S. siberica* subsp. *taurica*) Turkey, SE of Kahramanmaras. N. Stevens coll. (Endemic to the upper drainage of the Tigris, with up to 6, usually single-flowered, slender, 5cm. scapes. Lilac-blue segments with darker midribs. A delightful, early & long-flowering pan-plant.) **FS** or near : 3 bulbs : **D**
- 875.000 : SCILLA MELAINA** Turkey, Hatay, E of Belen. 1300m. Fissures on & at base of limestone cliffs. (Endemic to the Amanus Mts. Little known but excellent & trouble-free under glass here. Hardy in the UK & proving a fine garden-plant. Possibly closest to *S. mischtschenkoana* (*S. tubergeniana*) but with prussian-blue flowers.) **FS** or near : 3 bulbs : **D**
- 875.200 : SCILLA MESSENIACA** Greece, Messinia, S of Kardamili. 30m. In shade, among limestone rocks. (Very local & confined to the southern, tail-end of the Taigetos but easily grown & seems totally temperature-hardy here. Racemes of pale-blue, starry flowers. 20cm.) **FS** or near : 3 bulbs : **D**
- 933.409 : STERNBERGIA LUTEA** Greece, Crete, Malaxia. M. Jope 95-41. (Spectacular, brilliant yellow 'crocuses' before the leaves appear in autumn. A good wild form raised from wild-collected seeds.) **FS** or near : 1 bulb : **B** ; 3 bulbs : **F**
- 933.620 : STERNBERGIA SICULA** Greece, Epiros, SSW of Ioannina. J. Marr coll. (A dwarf, compact form of the true species. Little, rich-yellow goblets in autumn, before or with the very narrow, dark green leaves.) **FS** or near : 1 bulb : **C**

Tecophilaea : the blue Chilean 'crocuses' at realistic prices

- 2.940.010 : TECOPHILAEA CYANOCROCUS** No data. The classic form : Its flowers in spring have no equal in the purity & intensity of their gentian-blue. No trouble in an unheated glass-house in the UK. 3 offset corms : **D**
 **FLOWERING SIZE** : 1 corm : **C** ; 3 corms : **G**
- 2.940.011 : TECOPHILAEA CYANOCROCUS 'LEICHTLINII'** Slightly paler blue form with a large white centre, considered by many to be the most beautiful variant. It is also the most vigorous form with us. 3 offset corms : **D**
 **FLOWERING SIZE** : 1 corm : **C** ; 3 corms : **G**
- 2.940.012 : TECOPHILAEA CYANOCROCUS 'VIOLACEA'** Dusky, violet-blue form 3 offset corms : **E**
 **FLOWERING SIZE** : 1 corm : **C** ; 3 corms : **G**
- 2.940.015 : TECOPHILAEA CYANOCROCUS : VARIABLE FORMS FROM SEED** 3 offset corms : **D**
 **FLOWERING SIZE** : 1 corm : **C** ; 3 corms : **G**

- 1.926.815 : TRITELEIA LAXA 'DEXTER'** Spectacular dwarf clone, originally from Wayne Roderick. Recently gained an A.M. when shown by Bob & Rannveig Wallis. Large heads of luminous, deep violet-blue flowers. 3 offset corms : **C**
- 969.206 : TULIPA ARMENA** (var. *armena*) Turkey, Malatya, ESE of Malatya. 1850m. Gravelly soil on steep slope. (The eastern, NE Turkish, race of this magnificent scarlet tulip. Compact with wavy-edged foliage.) **FS** or near : 1 bulb : **C**
- 969.600 : TULIPA CRETICA** Greece, Crete, Hania, NE of Hania. 100m. Terra rossa. Ex a P.&P. Watt coll. (Starry white flowers, flushed with pink & grey-green outside & with yellow bases, on 10cm. stems.) **FS** or near : 1 bulb : **B**
- 969.880 : TULIPA HAGERI** Greece, Lesbos. H.&I. Barton coll. (Race of this E Mediterranean tulip, now sunk into *T. orphanidea*, with dusky orange-red flowers, shaded with olive-green externally.) 5 offset bulbs : **C**
- 970.050 : TULIPA HUMILIS 'ALBOCAERULEA OCULATA'** No data. A delightful clone of this distinctive, dwarf species. Pure white with a steel-blue base. Possibly originated in NW Iran. **FS** or near : 1 bulb : **B** ; 3 bulbs : **F**
- 970.409 : TULIPA KARABACHENSIS** Armenia, Zangezuri range. (Most distinct & possibly restricted to this range & neighbouring Nagornyy-Karabakh. Pointed, lemon-yellow flowers on 30cm. high stems.) **FS** or near : 1 bulb : **D**
- 972.160 : TULIPA WHITTALLII** A tetraploid form of *T. orphanidea* from western Turkey. Bright brownish orange flowers, tinged with green externally & with an olive-green basal blotch inside on 30cm. stems. 5 offset bulbs : **C**

ORDERS AS SOON AS POSSIBLE PLEASE : DESPATCH AS SOON AS WE CAN ARRANGE IT

B : \$3.00 ; £2.50 ; €3.- D : \$6.00 ; £4.00 ; €5.- F : \$9.00 ; £6.00 ; €7.-
C : \$5.00 ; £3.50 ; €4.- E : \$7.50 ; £5.00 ; €6.- G : \$15.00 ; £10.00 ; €12.-